

## **INTEGRATED AUDIOTEXT-INTERNET PERSONAL AD SERVICES**

### **TECHNICAL FIELD OF THE INVENTION**

The present invention relates to audiotex systems designed to provide full access to traditional  
5 databases and telecommunications systems, such as local area networks, the Internet, other external  
databases, telephones and fax machines, etc., and more specifically to audiotext personal ad services.

### **BACKGROUND OF THE INVENTION**

Audiotex personal ad services are a popular way for people to meet, and are available in most  
10 newspapers and on many cable television systems. In a typical service, an advertiser calls a live  
operator and places a text personal ad. An advertiser then calls an audiotex system and records an  
audio message, often referred to as a greeting, which expands upon the advertiser's text ad by  
describing in more detail the advertiser and the type of person he is seeking. Personal ads are then  
published in a newspaper. A personal ad includes a 900 telephone number and an ad mailbox number  
15 permitting a caller to listen to an advertiser's voice greeting. A caller can respond to an ad by  
recording a reply voice mail message for the advertiser. An advertiser retrieves a message by calling  
the audiotex system and entering a password given at the time of ad placement. In another format,  
no live operator is used. An advertiser first records an audio greeting. An operator then listens to  
the audio greetings off-line and writes a text summary of each audio greeting for publication in the  
20 newspaper.

With the expansion of the Internet and other on-line services, personal ad services have been  
created to take advantage of this new medium. A typical service allows an advertiser to place a text

personal ad that is published on the Internet on an HTML (HyperText Markup Language) page. An Internet user may respond to a personal ad by sending an advertiser a message via electronic mail. The limitation of this approach is that an Internet user cannot listen to an audio recording of an advertiser, a feature that is the central to audiotex personal ad services. Another limitation is that most people do not have Internet access, thus limiting the number of advertisers and respondents.

In another format, an attempt is made to integrate audiotex personal ads services with the Internet. Using this approach, a newspaper publishes personal ads in both the newspaper and on the Internet. Each personal ad includes a 900 telephone number and an ad mailbox number permitting a caller to listen to an advertiser's voice greeting. This approach still has the disadvantage of not allowing an Internet user to listen to an advertiser's voice greeting via the Internet. Moreover, an Internet user can only respond to a personal ad via a telephone.

As the use of audiotex services has grown steadily, related telephonic communication techniques have also expanded. In that regard, telephone systems have been developed that permit telephone callers to exchange telephone messages. At the same time, the Internet has made possible the interaction of large numbers of personal computers. Thus, on the one hand, the public telephone network exists as a principal means of voice communication, while the Internet is the major large scale choice for sharing digital data.

To date, both the public telephone network and the Internet have been used for both the sharing of voice files and data files. For example, placing telephone calls via the Internet is possible, while data files are often transferred via the public telephone network. Indeed, most people use the public telephone network to access the Internet. However, a system that optimizes the interaction between the public telephone network and the Internet is elusive. For example, in the voice personals

industry, service bureaus provide "800" and "900" numbers for callers to access stored voice files, for exchanging information so that matches can be made, and hence, people can date one another. In that industry, service bureaus often use voice boards, such as those provided by Dialogic Corporation, to answer telephone calls, store and access voice files, and match callers with other voice messages.

Conversely, among Internet users, text messages are stored on a database, and then, users enter various web sites to access messages on diverse so-called bulletin boards or databases. In essence, abstracts of databases can be searched so that users can look for interesting sites to browse.

However, to date, there has not been a seamless database interface constructed that allows telephone users of audiotex systems to access Internet messages, and allows Internet users to access audiotex services, without need for any special hardware or software modifications at the user's site.

Telephone systems have been developed that allow callers to exchange recorded messages for the purposes of meeting and possibly developing a relationship. Traditional telephone instruments have been utilized to provide and exchange various digital and audio information. Consequently various operations have performed. In a typical operation a caller calls a live operator and places a text ad that appears in some form of mass media, such as a newspaper or cable television show. The caller then calls a telephone system and records a voice message that is heard by those responding to the ad. In another format, a caller places an ad via an automated ad taking service by recording an audio message describing himself. The audio recording is then transcribed into a text ad that appears in a mass medium as described above. In addition, callers may be asked to provide information about themselves in the form of digital input data that is used to match them with other advertisers. Others can, in turn, respond to ads by calling the telephone system and leaving messages

which are then accessed and listened to by advertisers. Meetings of advertisers and respondents may result.

With the expansion of the Internet and other on-line services, personal ad services have been developed to take advantage of this new communication medium. One type of Internet personals service allows a person to place a text personal advertisement which other on-line users may respond to via electronic mail. The limitation of this approach is that an on-line user cannot hear a voice recording of the person who placed the advertisement, a feature proven very useful and desirable to users of audiotex-based voice personal services. Another limitation of this type of on-line personals service is that it is inaccessible to the majority of individuals that do not have access to on-line services.

In another format, text ads are taken from newspaper and television personals programs and published on the Internet. Each personal advertisement also contains a number and an associated telephone number. By calling the telephone number and entering an advertisement's number a caller can hear a voice recording of the advertiser and respond to the ad, if desired. This approach still has the limitation of not allowing on-line users to listen to a voice recording of the person who placed the personal advertisement. It also requires on-line users to go off line to respond to ads which defeats the very reason for going on-line in the first place.

Accordingly, it is desirable to increase the intelligence of a system for processing telephone calls. It is also desirable to increase the flexibility in a system for processing telephone calls. It is also desirable to provide greater interaction between a caller and a system for processing telephone calls. It is also desirable to provide greater accessibility to information from external systems by a system for processing telephone calls. It is also desirable to

augment the existing process of directing calls to service agents. It is also desirable to route a caller to the appropriate agent based on information about the caller. It is also desirable to provide routing of a call and its associated data to the appropriate agent. It is also desirable to provide network reliability in routing a caller to the appropriate agent.

5           Multi-media messaging involves integrating discrete messages or individual message components of different media, e.g., voice, text, video, and the ability to deliver the integrated messages through a single universal mailbox. For example, the integration of voice and facsimile (fax) messages is well known in the art. For example, U.S. Pat. No. 5,008,926, discloses an integrated voice-and-facsimile store-and-forward message system that provides for the  
10       sending, storage, and delivery of voice messages, fax messages, fax messages annotated with voice messages, and voice messages annotated with fax messages. The disclosed system additionally provides for display of fax messages on terminal screens, and the conversion of fax printed text messages into voice messages via text-to-speech conversion facilities.

15           Electronic mail, or e-mail, systems are also well known in the art. They provide for the sending, storage, and delivery between computer terminals of displayable data-text and/or graphics-messages.

20           Integration of e-mail systems with voice-and-fax message systems is highly desirable. For example, it is becoming common for salesmen to work out of "mobile offices"-their cars-which are equipped normally with telephones, often with fax machines, but generally not with data terminals, yet the salesmen would like to have the capability of receiving in their mobile offices messages sent to them in any form-voice, fax, or e-mail. The integration of fax and e-mail messaging is readily accomplished through conversion of e-mail messages into fax messages for delivery to their

recipients. But while fax machines are more likely to be available to mobile recipients of the messages than data terminals, they are not as readily available as telephones. Therefore, it is often preferable to instead accomplish the integration of voice and e-mail messaging through conversion of e-mail messages into voice messages for delivery to their recipients. This type of conversion is also readily accomplished if the e-mail messages constitute text only.

A problem arises, however, when e-mail messages constitute information other than text-such as diagrams, charts, special symbols, computer code fragments, pictures, etc.-which is not suitable for conversion into a voice message. Attempts to convert such data message segments into speech result in unintelligible garble. This may be avoided by simply identifying and discarding the non-voiceable data message segments, but this results in the delivery of an incomplete message to the recipient-an unacceptable result.

To summarize, existing Internet personal ad services are limited in that they lack many of the features available on audiotex personal ad services. Also, existing personal ad services do not provide a means for those using a audiotex personal ad service to effectively communicate with those using an Internet personal ad service and visa versa. Although some attempts have been made to improve and integrate existing services, all personal ad services heretofore known suffer from a number of disadvantages:

(a) Existing systems do not allow an Internet user via a computer connected to the Internet to listen to an audio greeting from an audiotex personal ad service.

(b) Existing systems do not allow an Internet user to record an audio greeting via a computer connected to the Internet that can be listened to by other Internet users via the Internet.

(c) Existing services do not allow an advertisers to record an audio greeting via a computer

connected to the Internet that can be listened to from a telephone.

(d) Existing services do not allow an advertiser to place a personal ad on an audiotex personal ad service and receive a message on the Internet via electronic mail.

5 (e) Existing services do not allow a telephone caller to access a text personal ad placed on the Internet.

(f) Existing services do not allow an Internet advertiser to receive a response message from a telephone caller.

(g) Existing services do not allow a telephone caller to do a key word full-text search of personal ads.

10 (h) Existing services do not allow a telephone caller to retrieve a text message left in response to her personal ad.

(i) Existing services do not allow a telephone caller to retrieve audio messages left in response to her personal ad where said audio responses are left via a computer connected to the Internet.

15 (j) Existing personal ad services that publish personal ads in a newspaper or on a cable television show limit the number of words of a text personal ad.

In the use of such services, the need is recognized for improved capability regarding the features available to Internet users, and the integration of audiotex personal ad services and Internet personal ad services.

20

## SUMMARY AND OBJECTS OF THE PRESENT INVENTION

The present invention contemplates that audiotex systems will be retrofitted with an

input/output interface which accesses computer databases such as the Internet. In real time, or in a batched mode search and store operation, an audiotex system accesses those databases of interest to it. For example, an audiotex system established for dating services will be equipped with an information translator suitable for accessing databases and/or web sites on the Internet. In that manner, the audiotex system, which stores user input digitized messages, can expand its capability or messages at its disposal by accessing databases.

In general, the present invention is based on recognizing the need to allow a seamless exchange of messages and personal advertisements between traditional audiotex personals services and Internet or on-line based personals services. In addition, the present invention recognizes the need for Internet personals services to offer enhanced features that give on-line users the ability to exchange voice messages on-line.

The present invention comprises the integration of an audiotex system and a web server. As with traditional audiotex personals services, this allows individuals to place a personal advertisement in the form of a digital audio recording that can be listened to and responded to by other individuals calling the audiotex system. Now, for the first time, the digital audio recording of the personal advertisement is also available on the Internet or similar on-line service. On-line users can now listen to the digital audio recording entirely on-line by either downloading the audio file or by listening to it in real time. On-line users respond to these ads by recording a digital audio message that is forwarded to the advertisers' audiotex voice mailboxes. Thus, the invention accommodates on-line users with varying degrees of multi-media computing capabilities.

Conversely, an on-line user places a personal advertisement on-line by typing a text ad that can be published in the external media (newspaper or television cable show, for example) and



recording a digital audio message that is available to both on-line and on a traditional audiotex system through the use of synthesized (text to speech) speech. (On-line user could also be given a telephone number to call to complete their ad by recording a digital audio message.) Audiotex users and on-line users respond to Internet ads by recording a digital audio message that is forwarded to the on-line advertiser via electronic mail. The on-line advertiser can listen to the digital audio response in real time or download the audio file. If the Internet advertiser lacks sufficient multimedia capability, response is converted to a text message (speech to text) for inclusion with the electronic mail message.

In accordance with the present invention, a method and apparatus for delivering personal ad services are provided which substantially eliminate or reduce the disadvantages and problems associated with prior systems that deliver such personal ad services.

In the use of such services, the need is recognized for improved capability regarding the features available to Internet users, and the integration of audiotex personal ad services and Internet personal ad services. Several objects and advantages of the present invention are the following:

(a) to allow an Internet user via a computer connected to the Internet to listen to an audio greeting from a audiotex personal ad system. This invention uses compression and data streaming to allow an Internet user to listen to an audio file without downloading. An audio file begins playing while it is being transferred. The advantage is audio that begins playing in real time.

(b) to allow an Internet user to record an audio greeting via a computer connected to the Internet that can be listened to by other Internet users via the Internet.

(c) to allow an advertiser to record an audio greeting via a computer connected to the Internet that can be listened to from a telephone.

(d) to allow an advertiser to place a personal ad via a telephone and receive a message on the Internet via electronic mail.

(e) to allow a telephone caller to access a text personal ad placed on the Internet using text-to-speech whereby a computer uses a synthesized voice to speak text over a telephone.

5 (f) to allow a telephone caller to respond to a personal ad that is placed via the Internet, where said response can be retrieved via the Internet.

(g) to allow a telephone caller to do a key word full-text search of personal ads.

(h) to allow a telephone caller to retrieve a text message left in response to her personal ad by an Internet user by using text-to-speech whereby a computer uses a synthesized voice to speak text  
10 over a telephone.

(i) to allow a telephone caller to retrieve an audio message left in response to her personal ad where said audio response is left via a computer connected to the Internet.

(j) to allow an advertiser to have virtually no limit on the number of words in his text personal ad by publishing personal ads on the Internet.

15 Further objects and advantages are to allow an advertiser to include a photograph and video clip with his personal ad by submitting a file via a computer connected to the Internet. With the present invention, a personal ad published in a newspaper includes graphical icons which denote if an ad has additional text or multimedia files (a photograph or a video clip) available on the Internet. In addition, this invention reduces 800 number or toll charges associated with an advertiser retrieving  
20 her messages via a telephone by allowing an advertiser to retrieve her messages on the Internet, thereby eliminating 800 number and toll charges. Still further objects and advantages will become apparent from a consideration of the ensuing description and drawings.

## BRIEF DESCRIPTION OF DRAWINGS

For a more complete understanding of the present invention, reference is made to the following drawings, in which:

FIG. 1 shows a schematic representation of the present invention.

5 FIG. 2 shows a table of the fields used for storing personal data, including a brief description of the particular fields.

FIG. 3 shows a table of the fields used for storing greetings data, including a brief description of the particular fields.

10 FIG. 4 shows a table of the fields used for storing response data, including a brief description of the particular fields.

FIG. 5 shows a flow diagram of an exemplary operation of the present invention, more specifically placing an ad through a telephone.

FIG. 6 shows a flow diagram of an exemplary operation of the present invention, more specifically placing an ad through the Internet.

15 FIG. 7 shows a flow diagram of an exemplary operation of the process of reviewing and summarizing ads as accomplished by the present invention.

FIG. 8 shows personal ads as they would appear in a local newspaper.

FIG. 9 shows a flow diagram of an exemplary operation of the process of responding to an ad through a telephone as accomplished by the present invention.

20 FIG. 10 shows a flow diagram of an exemplary operation of the process of responding to an ad through the Internet as accomplished by the present invention.

FIG. 11 shows a maximized personal ad as seen by the Internet user who chooses to expand

the ad to full-page size.

FIG. 12 shows a flow diagram of the response confirmation process, including the Response Confirmation Form which gives the Internet user instructions on how to enhance a response to an ad with, audio, video or a photograph.

5 FIG. 13 shows a flow diagram of an exemplary operation of the process of retrieving responses through a telephone as accomplished by the present invention.

FIG. 14 shows a flow diagram of an exemplary operation of the process of retrieving responses through the Internet as accomplished by the present invention.

FIG. 15 shows a flow diagram of an exemplary operation of the process of searching for ads  
10 through a telephone as accomplished by the present invention.

FIG. 16 shows a flow diagram of an exemplary operation of the process of searching for ads through the Internet as accomplished by the present invention.

## **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT**

15 As required, a detailed illustrative embodiment of the present invention is disclosed herein. However, telephone techniques, physical communication systems, data formats and operating structures in accordance with the present invention may be embodied in a wide variety of forms and modes, some of which may be quite different from those in the disclosed embodiment. Consequently, the specific structural and functional details disclosed herein are merely representative, yet in that  
20 regard, they are deemed to afford the best embodiment for purposes of disclosure and to provide a basis for the claims herein which define the scope of the present invention.

Referring initially to Fig 1, a series of remote telephone terminals T1-Tn are represented. In

addition, a series of remote computer terminals CT1-CTn are represented. The indicated terminals T1-Tn represent the multitude of telephone terminals existing in association with the public telephone network PTN. The indicated computer terminals CT1-CTn represent the multitude of computer terminals connected to the Internet.

5       The public telephone network PTN, which accommodates the individual terminals T1-Tn, is coupled to an Interactive Voice Response System IVR. The Internet, which accommodates individual computer terminals CT1-CTn, is coupled to an Internet Web Server IWS. Individual callers use the individual telephone stations T1 through Tn to interface the IVR through the public telephone network PTN. Individual users at computer terminals CT1 through CTn use the Internet  
10      to interface the Internet Web Server. Telephone callers and Internet users may record digital audio messages that can be listened to from any of the remote telephone terminals T1-Tn or from any of the remote computer terminals CT1-CTn. Internet users may leave digital text messages that may be accessed from any of the remote telephone terminals T1-Tn using text to speech or from the remote computer terminals CT1-CTn via computer monitor.

15       Considering the system of Fig 1 in somewhat greater detail, it is to be understood that the public telephone network has multiplexing capability for individually coupling the terminals T1-Tn to the IVR on request. In the illustrative embodiment of the system, the individual terminals T1-Tn take the form of existing traditional or conventional telephone instruments. It is also to be understood that the Internet has the capability for individually connecting the computer terminals  
20      CT1-CTn to the Internet Web Server. In the illustrative embodiment of the system, the individual computer terminals CT1-CTn take the form of personal computers that comprise a central processing unit CPU, modem, monitor, keyboard, hard drive, sound card, and microphone.

Considering the IVR in somewhat greater detail, the public telephone network PTN is coupled to an IVR Fig 1. In the disclosed embodiment, from the public telephone network PTN, forty-eight lines are connected to the IVR and, accordingly, the IVR may accommodate up to forty-eight simultaneous calls from the public telephone network PTN. The IVR contains a processor, an exemplary form of which is an Intel 166MHz Pentium Processor. The forty-eight lines from the public telephone network (PTN) are connected to the processor though an interface 15, an exemplary form of which is a series of commercially available Dialogic (D240SC-T1) cards. The interface incorporates modems, tone decoders, switching mechanisms, DNIS and ANI capability. The Dialogic card stores audio information in the Dialogic .VOX format.

Generally, DNIS capability is a function of the public telephone network PTN to provide digital data indicating the called number. ANI capability is a similar function whereby the digital data indicates the calling number.

Considering the Internet Web Server in somewhat greater detail, the IWS is coupled to the Internet via a DSL line to a local Internet provider service. The IWS may accommodate a multitude of simultaneous Internet users. As represented, the IWS is a micro computer programmed for Internet information server operations. The IWS contains a processor and Internet server software, exemplary forms of which are an Intel 166Mhz Pentium Processor and Microsoft Internet Information Server software.

The IWS is also loaded with RealAudio Server software from Progressive Network. RealAudio allows a Microsoft Windows .WAV files to be converted into a RealAudio .RA file, a compressed format that allows play back over the Internet in real time, as opposed to first downloading a file and then listening to it. RealAudio accomplishes this by playing an audio file while

it is still downloading, using a process called data streaming.

The IWS is also loaded with VDOLive Server software. VDOLive allows a video clip in the Microsoft Windows AVI, Apple Quicktime, or MPEG video files formats to be converted into a VDOLive .VDO format, a compressed format that allows play back over the Internet in real time, as opposed to first downloading a file and then listening to it. VDOLive also utilizes data streaming.

The IVR and the IWS are coupled to a Database Server DBS via an Ethernet hub as shown in Fig 1. The system includes one or more Operator Workstations OW1 - OWn, through which an operator can interact with and control the DBS, IVR and IWS.

The database server DBS is a computer programmed for database operations. In the illustrated embodiment, the DBS manages a personal Ad Database which is comprised of multiple tables that manage ad creation, the audio greeting files, ad response files, photograph and video files and keyword searching of ads. The Ad Database comprises an electronic equivalent of the personal classified ads placed via telephone and the Internet, and responses placed to ads.

In addition, the DBS converts audio files received via telephone into the RealAudio .RA format for real time retrieval via the Internet. Conversely, the DBS converts audio files received via the Internet into Dialogic .VOX files for retrieval via telephone. Audio file conversions are done through audio file conversion software, a exemplary form of which is Vox Studio by Xentec.

The DBS contains a processor and an SQL (Structured Query Language) relational database software, exemplary forms of which are the Intel 166Mhz Pentium Processor and Microsoft SQL Server.

The Operator Workstation OWS is a conventional personal computer equipped with a sound card capable of playing the audio data and a video display capable of displaying digitally stored

photographs and movies. An exemplary form of the OWS is a microcomputer equipped with an Intel 166Mhz Pentium Processor and a Creative Labs Sound Blaster sound card. Operators review all incoming advertiser files - text, audio, photograph, and video - to insure that their content is appropriate. Also, operators use advertisers' text messages and audio recordings to create summary text ads for publication in a newspaper.

The following sections describe in greater detail the interaction between the IVR, the DBS, the IWS, and the OWS.

#### PLACING A PERSONAL AD THROUGH A TELEPHONE

An exemplary operation of the system, with regard to a specific telephone caller placing a personal advertisement will now be treated to accomplish the process as indicated in Fig 5. First, suppose a telephone caller at terminal T1 makes a call to place a personal advertisement in response to an advertisement in XYZ newspaper. The assumed call involves the telephone caller actuating the buttons to input the number 1 800 555 3333, for example. As a result, signals are provided to the public telephone network resulting in a connection from the remote terminal T1 to the IVR. Using standard DNIS techniques, the IVR associates the called number 1 800 555 3333 with a specific format, for example, a voice personals ad taking format.

The caller is first prompted to create a profile of himself by answering a series of questions using the buttons on his touch tone phone. Referring initially to Fig 5, upon receiving a call, the IVR cues the caller to enter his telephone number 801. The IVR stores the telephone number 802 in the field AD\_PHONE 203. Next, the IVR cues the caller to enter his gender 803. For example: "If you are a woman, press 1. If you are a man, press 2." The IVR stores the caller's gender 804 in the field



AD\_GENDER 207. Next, the IVR cues the caller for his marital status 805. For example: "If you are single, press 1. If you are divorced, press 2. If you are widowed, press 3." The caller responds and the IVR stores the caller's marital status 806 in the field AD\_MARITAL\_STATUS 208. Next, the IVR cues the caller for his age 807. For example: "Please enter your age." The caller's age is then stored 808 in the field AD\_AGE 209.

Next, the IVR cues the caller to record an audio greeting 812. The advertiser's audio greeting is then stored to a disk file on the IVR 813 and Ad database is updated 809. Specifically, the AD\_REVIEW\_FLAG 210 in the AD\_PERSONAL\_TABLE Fig 2 is set to FALSE indicating that the ad must be reviewed by an operator. In addition, a new record is created in the AD\_GREETINGS\_TABLE Fig 3 and the field GR\_REVIEW\_FLAG 303 set to FALSE to indicate that the audio greeting has not been reviewed. In the new record, the fields GR\_MAILBOX\_NUMBER 301, GR\_TYPE 302, GR\_FILENAME 304, GR\_DATE\_TIME 305 in the table AD\_GREETINGS Fig 3 are also populated to indicate the advertiser's mailbox number, the format of the audio file, and the location of the audio file on the IVR, and the date and time the greeting was recorded. The field GR\_TYPE is set to VOX to indicate that the audio recording is in the Dialogic .VOX file format. Finally, the field GR\_CONVERSION\_FLAG is set to FALSE to indicate that the audio file must be converted from the Dialogic .VOX format to create a new audio file in the RealAudio .RA format for playback on the Internet.

The IVR then cues the caller to indicate if he wishes to record an e-mail address 816. (The e-mail address is used notify the advertiser via the Internet when someone responds to his ad.) For example: "Press 1 to input an e-mail address. Press 2 to decline." If the caller elects to leave an e-mail address, the IVR cues the caller to record his e-mail address 817. The audio recording is stored

to a disk file on the IVR 818 and the field AD\_EMAIL\_FILENAME 205 in table AD\_PERSONAL Fig 2 is set, indicating that an e-mail audio file exists and its location on the IVR.

Next, the IVR assigns the advertiser a five digit mailbox number 819. For example: "Your 5-digit mailbox number is 12345." The mailbox number is then stored 820 in the field AD\_MAILBOX\_NUMBER 201. The IVR then cues the caller to enter a five digit password 821. The password is stored 822 in the field AD\_PASSWORD 202.

In addition, the IVR stores the date the ad is taken in the field AD\_DATE\_TIME 206, and updates the field AD\_ORIGIN 211 to indicate that the personal ad originated on the telephone 823. Finally, the IVR creates an electronic mailbox for the advertiser on the IWS 824 and stores it in the field AD\_MAILBOX\_NUMBER 201 to allow respondents to submit audio, video and photographic files in response to the advertiser's ad.

### PLACING AN AD THROUGH THE INTERNET

An exemplary operation of the system, with regard to a specific Internet user placing a personal advertisement will now be treated to accomplish the process as indicated in Fig 6. First, suppose a Internet user at terminal CT1 connects to the Internet to place a personal advertisement in response to an advertisement in XYZ newspaper. The assumed Internet user connects to the Internet and inputs a Uniform Reference Locator URL, for example: [http://www.personal\\_ads.com](http://www.personal_ads.com), resulting in a connection from the remote terminal CT1 to a Home Page 1001 on the Internet Web Server.

Referring to Fig 6, from the Home Page 1001 on the IWS, the Internet user selects an Ad Placement Form 1002. The Ad Placement Form 1002 contains the following input fields

corresponding to fields in the Ad database as indicated:

Gender <i>1003</i>	AD_GENDER <i>207</i>
Marital Status <i>1004</i>	AD_MARITAL_STATUS <i>208</i>
Age <i>1005</i>	AD_AGE <i>209</i>
E-mail address <i>1006</i>	AD_EMAIL_ADDRESS <i>204</i>
Phone Number <i>1007</i>	AD_PHONE <i>203</i>
Password <i>1008</i>	AD_PASSWORD <i>202</i>
Greeting Text <i>1014</i>	GR_FILENAME <i>304</i>

This process largely parallels the process of placing a personal ad via a telephone. The password *1008* is used by the advertiser to retrieve messages and the e-mail address *1006* and telephone number *1007* are used to contact the advertiser. The gender *1003*, age *1005*, and marital status *1004* fields create a profile of the advertiser. Finally, the field Greeting Text *1014* describes the advertiser and the person she is seeking.

The Internet user completes the Ad Placement Form *1002* and presses the "Submit" button to submit her ad. The form is checked by the IWS for completeness *1016*. If the form is incomplete, the user is returned to the Ad Placement Form *1002*. If the form is complete, the IWS assigns the user a five digit mailbox number *1021* and stores it in the field AD\_MAILBOX\_NUMBER *201*. In addition, the advertiser's profile, contact information, password and greetings are stored in their respective fields, as indicated above.

The advertiser's text greeting is then stored to a disk file on the IWS and the Ad database is

updated 1017. Specifically, the AD\_REVIEW\_FLAG 210 in the AD\_PERSONAL\_TABLE Fig 2 is set to FALSE indicating that the ad must be reviewed by an operator 10. In addition, a new record is created in the AD\_GREETINGS\_TABLE Fig 3 and the field GR\_REVIEW\_FLAG 303 is set to FALSE to indicate that the audio greeting has not been reviewed. In the new record, the fields  
5 GR\_MAILBOX\_NUMBER 301, GR\_TYPE 302, GR\_FILENAME 304, GR\_DATE\_TIME 305 in the table AD\_GREETINGS Fig 3 are also populated to indicate the advertiser's mailbox number, the file format, and the location of the text file on the IWS, and the date and time the greeting was placed. Specifically, the field GR\_TYPE is set to TEXT. Finally, the field GR\_CONVERSION\_FLAG is set to TRUE to indicate that the text does not need to be converted  
10 to a different format.

Lastly, the Internet Web Server creates an Ad Confirmation Page 1020. The Ad Confirmation Page 1020 performs two functions: (1) it confirms the advertiser's mailbox number 1021, and (2) it gives the advertiser instructions on how to include an audio greeting 1022, photograph 1023, or video clip 1024 with her personal ad. Finally, the Internet Web Server stores the date and time the  
15 ad is taken in the field AD\_DATE\_TIME 206, and updates the field AD\_ORIGIN 211 to indicate that the personal ad originated on the Internet 1025. In addition, the IWS creates an electronic mailbox for the advertiser and stores it in the field AD\_MAILBOX\_NUMBER 1026 to allow respondents to submit audio, video and photographic files in response to the advertiser's ad.

## 20 ENHANCING AN INTERNET AD WITH AUDIO, PHOTOGRAPH AND VIDEO

A more detailed explanation of how an advertiser submits an audio greeting, photograph, or video clip via CT1 will now be given. To submit an audio greeting, the advertiser first makes an

audio recording using a WAV file editor and then saves the file using her five digit mailbox number as the file name *1030*, for example: 44567.wav. The advertiser then submits the audio file using e-mail to an audio greeting electronic mailbox *1031*, for example: audio\_greeting@personals.com. The advertiser's audio recording is stored to a disk file on the Internet Web Server.

5           In addition, a new record is created in the AD\_GREETINGS\_TABLE Fig 3 and the Ad database is updated 1033. Specifically, the field GR\_REVIEW\_FLAG *303* is set to FALSE to indicate that the audio greeting has not been reviewed. Also, the fields GR\_MAILBOX\_NUMBER *301*, GR\_TYPE *302*, GR\_FILENAME *304*, GR\_DATE\_TIME *305* in the AD\_GREETINGS\_TABLE Fig 3 are also populated to indicate the advertiser's mailbox number, 10 the format of the audio file, and the location of the audio file on the IWS, and the date and time the greeting placed. The field GR\_TYPE is set to WAV to indicate that the audio recording is in the Microsoft .WAV file format. Finally, the field GR\_CONVERSION\_FLAG is set to FALSE to indicate that the audio file must be converted from the Microsoft .WAV format to create two new 15 audio files: one in the RealAudio .RA format for playback on the Internet, and another in the Dialogic .VOX format for playback via the telephone.

To enhance a personal ad with a photograph, the advertiser first digitizes a photograph using a scanner or takes a photograph with a digital camera and then saves the image to a .GIF file using her five digit mailbox number as the file name *1036*, for example: 44567.gif. The advertiser then submits the graphic file using e-mail to an photograph electronic mailbox, for example: 20 photo@personals.com *1031*.

The advertiser's photo is stored to a disk file on the IWS and the Ad database is updated *1032*. Specifically, a new record is created in the AD\_GREETINGS\_TABLE Fig 3 and the field

GR\_REVIEW\_FLAG 303 set to FALSE to indicate that the graphic file has not been reviewed. In each new record, the fields GR\_MAILBOX\_NUMBER 301, GR\_TYPE 302, GR\_FILENAME 304, GR\_DATE\_TIME 305 in the table AD\_GREETINGS Fig 3 are also populated to indicate the advertiser's mailbox number, the format of the graphic file, and the location of the graphic file on the IWS, and the date and time the photograph was received. The field GR\_TYPE 302 is set to GIF to indicate that the graphic file is in the .GIF file format. Finally, the field GR\_CONVERSION\_FLAG 306 is set to TRUE to indicate that no file conversion is necessary as .GIF is the graphic file format used by the IWS. If other graphic formats were accepted, they might have to be converted to a .GIF format, depending on the file formats the IWS supported. If file conversion were necessary, the field GR\_CONVERSION\_FLAG 306 would be set to FALSE.

To enhance a personal ad with video, the advertiser first digitizes a video clip and then saves the image to a Microsoft .AVI file using her five digit mailbox number as the file name 1036, for example: 44567.avi. Other video formats such as Apple Quicktime, or MPEG video could also be used. The advertiser then submits the graphic file using e-mail to an electronic mailbox, for example: video@personals.com 1031.

The advertiser's video clip is stored to a disk file on the IWS and the Ad database is updated 1032.

Specifically, a new record is created in the AD\_GREETINGS table Fig 3 and the field GR\_REVIEW\_FLAG 303 set to FALSE to indicate that the video file has not been reviewed. In each new record, the fields GR\_MAILBOX\_NUMBER 301, GR\_TYPE 302, GR\_FILENAME 304, GR\_DATE\_TIME 305 in the table AD\_GREETINGS Fig 3 are populated to indicate the advertiser's mailbox number, the format of the video file, and the location of the video file on the IWS, and the date and time the video was received. Specifically, the field GR\_TYPE 302 is set to AVI to indicate

that the video clip is in the Microsoft .AVI file format. Finally, the field GR\_CONVERSION\_FLAG 306 is set to FALSE to indicate that the video file must be converted to the VDOLive format for real time playback on the Internet.

## 5 REVIEWING AND SUMMARIZING ADS

All new personal ads are reviewed by an operator at an Operator Workstation to insure that their content is appropriate. Also, each greeting submitted by an advertiser, whether it be an audio greeting recorded by an advertiser via a telephone or a text greeting placed by an advertiser via the Internet, is summarized by an operator to create a twenty word classified text ad for publication in 10 a newspaper. The twenty word limit is a function of newspaper imposed space limitations. It should be noted that space limitations, if they exist at all, may vary widely from newspaper to newspaper. In another format, text ads that are published in the newspaper are first placed with a live operator via a telephone, precluding the need to summarize an audio recording.

15 An exemplary operation of the process of reviewing and summarizing ads with regard to a specific operator at OPI will now be treated to accomplish the process as indicated in Fig 7. The operator first queries the database to determine if there are new ads to review 1801. Specifically, the query looks for all ads in the AD\_PERSONAL table Fig 2 where the field AD\_REVIEWED 210 is set to FALSE. If the query finds a new ad, the operator first reviews the ad's greeting 1802 as found in the AD\_GREETINGS table Fig 3. If the ad was placed via telephone, this consists of listening to 20 the ad's audio greeting. If the ad was placed via the Internet, this consists of reading the text greeting. The operator then determines if the greeting's contents are appropriate 1803. If the greeting's contents are inappropriate, the ad is deleted and the record purged from the database 1804

and the operator is returned to block *1801*. If the greeting's contents are appropriate, the operator writes a twenty word summary of the greeting *1804*. The operator then queries the database to determine if the advertiser recorded an e-mail address *1805*. If an e-mail address audio recording is found, the operator transcribes the e-mail address *1806*. The operator then updates the database  
5 *1807*.

Specifically, the advertiser's twenty word text summary is stored to a disk file on the IWS. The AD\_REVIEW\_FLAG *210* in the AD\_PERSONAL table Fig 2 is set to TRUE indicating that the ad has been reviewed. In addition, a new record for the text summary is created in the AD\_GREETINGS table Fig 3 and the field GR\_REVIEW\_FLAG *303* set to TRUE indicating that  
10 the record has been reviewed. In the new record, the fields GR\_MAILBOX\_NUMBER *301*, GR\_TYPE *302*, GR\_FILENAME *304*, GR\_DATE\_TIME *305* in the table AD\_GREETINGS Fig 3 are also populated to indicate the advertiser's mailbox number, the file format, and the location of the text file on the IWS, and the date and time. The field GR\_TYPE is set to TEXT. Finally, the field GR\_CONVERSION\_FLAG *306* is set to TRUE to indicate that the text does not need to be  
15 converted to a different format.

The operator then returns to block *1801* to continue processing ads. If no new ads are found, the operator queries the database to determine if any multimedia files (audio, video, or photo) have been submitted via the Internet to enhance a personal ad *1808*. Specifically, the query looks for all ads in the AD\_PERSONAL table Fig 2 where the field AD\_REVIEWED *210* is set to TRUE that  
20 has files in the AD\_GREETING\_TABLE Fig 3 where the GR\_REVIEW\_FLAG *303* is set to FALSE. If the query finds a multimedia file, the operator first reviews the file *1809*. If it is an audio file, this consists of listening to the ad's audio greeting. If it is a video or graphic file, this consists



of viewing the file. The operator then determines if the greeting's contents are appropriate *1810*. If the greeting's contents are inappropriate, the file is deleted and the record purged from the database *1811*. The operator is then returned to block *1808* to continue processing multimedia files. If the file's contents are appropriate, the operator approves the file *1812* and updates the database *1813*.

5 Specifically, this consists in setting the field GR\_REVIEW\_FLAG *303* to TRUE to indicate that the file has been reviewed.

If the file is an audio file, the Operator Workstation converts the file to create a new RealAudio RA file and stores the file on the IWS. The Operator Workstation also converts the file to create a Dialogic VOX file and stores the file on the IVR. For each new audio file, a new record  
10 is created in the AD\_GREETINGS table Fig 2 and the fields GR\_MAILBOX\_NUMBER *301*, GR\_TYPE *302*, GR\_DATE\_TIME *305*, and GR\_FILENAME *304* are populated to indicate the mailbox number of the advertiser, the format of the file, the date and time, and the location of the audio file on the IVR. Also, the field GR\_REVIEW\_FLAG *303* is set to TRUE to indicate that the file has been reviewed. Finally, the field GR\_CONVERSION\_FLAG is set to TRUE to indicate that  
15 the audio file does not need to be converted.

If the file is a video file, the Operator Workstation converts the Microsoft AVI file to create a new VDOLive file and stores the file on the IWS. Also, a new record is created in the AD\_GREETINGS table Fig 2 and the fields GR\_MAILBOX\_NUMBER *301*, GR\_TYPE *302*, GR\_DATE\_TIME *305*, and GR\_FILENAME *304* are populated to indicate the mailbox number of  
20 the advertiser, the format of the file, the date and time, and the location of the video file on the IVR. Also, the field GR\_REVIEW\_FLAG *303* is set to TRUE to indicate that the file has been reviewed. Finally, the field GR\_CONVERSION\_FLAG *306* is set to TRUE to indicate that the video file does

not need to be converted.

The operator then returns to block *1808* to continue processing multimedia files. If no new multimedia files are found, the session is terminated *1814*.

## 5     PUBLISHING ADS IN THE NEWSPAPER

Each week, all the twenty-word summary text ads from personal ads submitted via telephone and via the Internet are published in a newspaper along with their five digit mailbox numbers. Fig 8 depicts personal ads as they would appear in the local newspaper. Icons are included in each ad that represent the origin of an ad (via telephone or via the Internet) and what additional information or multimedia, if any, is available on the Internet. For example, an ad placed via the telephone contains a telephone icon *2001*; an ad placed via the Internet contains a computer icon *2002*. If there is additional text on the Internet, an ad contains an icon denoting additional text *2004*. The presence of a photo or video clip is indicated respectively by a still camera *2004* and video camera *2005* icons.

## 15     RESPONDING TO A PERSONAL AD THROUGH A TELEPHONE

An exemplary operation of the system, with regard to a telephone caller responding to a personal advertisement will now be treated to accomplish the process as indicated in Fig 9. First, suppose a telephone caller at terminal T1 places a call to respond to a personal ad advertised in XYZ newspaper. The assumed call involves the telephone caller actuating the buttons to input the number 1 900 777 3333, for example. As a result, signals are provided to the public telephone network resulting in a connection from the remote terminal T1 to the IVR. Using standard DNIS techniques,

the IVR associates the called number 1 900 777 3333 with a specific format, for example, a voice personals response format.

Referring to Fig 9, upon receiving a call, the IVR sets the “invalid mailbox number count” equal to zero 2301. The IVR then increments the “invalid mailbox number count” by one 2302 and cues the caller for a mailbox number 2303. Upon the caller entering a mailbox number, the IVR queries the field AD\_MAILBOX\_NUMBER 201 to determine if the mailbox number is valid 2304. If the mailbox number is invalid, the IVR determines if the caller has exceeded the maximum number of attempts allowed 2305. If the caller has exceeded the maximum number of attempts allowed, the call is terminated 2306. If the maximum number of attempts allowed has not been exceeded, the IVR increments the “invalid mailbox number count” by one 2302 and again cues the caller for a mailbox number 2303.

If the mailbox number is valid, the IVR queries the field AD\_ORIGIN 211 to determine if the ad originated on the Internet 2307. If the ad originated on the telephone, the IVR plays the ad’s audio greeting 2311. If the ad originated on the Internet, the IVR uses text to speech to play the ad’s text greeting as placed on the Internet 2308. The IVR then queries the AD\_GREETINGS table Fig 2 to determine if the Internet advertiser also submitted an audio greeting 2309. If the query does not find an audio greeting 2310, the IVR prompts the caller to indicate if he wishes to respond to the ad 2312. If the query finds an audio greetings 2310, the IVR plays the audio greetings 2311. The IVR then prompts the caller to indicate if he wishes to respond to the ad 2312.

If the caller elects not to respond to the ad, the call is terminated 2306. If the caller elects to respond to the ad, the IVR next cues him to record his response 2319. The IVR then stores the response to a disk file and updates the database 2321. Specifically, the IVR creates a new record

in the AD\_RESPONSE table Fig 4 populates the fields RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 to indicate the mailbox number of the ad responded to, the date and time of the response, the format of the response, and the location of the response file on the IVR. The field RSP\_TYPE 504 is set to VOX to indicate that the audio recording is in the Dialogic .VOX file format. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to FALSE to indicate that the audio must be converted from the Dialogic .VOX format to create a new audio file in the RealAudio .RA format for playback on the Internet.

The IVR creates a new RealAudio .RA file from Dialogic .VOX file and stores the RealAudio file to a disk file 2322 on the IWS and updates the database 2323. Specifically, the IVR creates a new record in the AD\_RESPONSE table Fig 4 and populates the fields RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 to indicate the mailbox number of the ad responded to, the date and time of the response, the format of the response, and the location of the response file on the IVR. The field RSP\_TYPE 504 is set to RA to indicate that the audio recording is in the RealAudio .RA file format.

Finally, the field RSP\_CONVERSION\_FLAG 506 is set to TRUE for both the audiotex .VOX file and the RealAudio .RA file to indicate that the audio files do not need to be converted 2324.

The caller is then prompted to respond to another ad 2325. If the caller chooses to respond to another ad, the IVR continues processing at block 2303, otherwise the call is terminated 2326.

#### RESPONDING TO A PERSONAL AD THROUGH THE INTERNET

An exemplary operation of the system, with regard to a specific Internet user responding to a personal ad via the Internet will now be treated to accomplish the process as indicated in Fig 10. First, suppose an advertiser at terminal CT1 connects to the Internet to respond to a personal advertisement advertised in XYZ newspaper. The assumed Internet user connects to the Internet and  
5 inputs a Uniform Reference Locator URL, for example: [http://www.personal\\_ads.com](http://www.personal_ads.com), resulting in a connection from the remote terminal CT1 to a Home Page on the Internet Web Server.

Referring to Fig 10, from the Home Page 2401 on the IWS, the Internet user selects an Ad Response Form 2402. The Ad Response Form instructs the Internet user to enter the five digit mailbox number of the ad she wishes to respond to 2403. Upon the Internet user entering her  
10 mailbox number, the IWS queries the field AD\_MAILBOX\_NUMBER in the Ad database to determine if the mailbox number is valid 2404. If the mailbox number is invalid, the Internet user is presented with an Invalid Mailbox Number Form 2405.

If the mailbox number is valid, the IWS presents the Internet user with a Results Form 2406. The Results Form 2406 shows the ad the Internet user selected. Specifically, the Results Form shows  
15 the twenty word text ad that appears in the newspaper 2407. In addition, the ad contains one or more icons that represent any additional text or multimedia files (audio, video, photograph) for the ad that are available on the IWS. These icons include an audio icon 2408 to denote the ad's audio greeting, a still camera icon 2409 to denote a photograph of the advertiser, a video camera icon 2410 to denote a video clip of the advertiser, or a paper icon 2411 to denote the ad's full text greeting, if the ad was  
20 placed on the Internet. It is to be understood that these icons are merely representative and that many other possibilities exist to denote the existence of text and multimedia files. By clicking on an icon, the Internet user can view or listen to the associated file. In addition, by selecting a maximize bar

2412, the Internet user can expand an ad to full page size Fig 11. The Internet user responds to an ad by selecting the “Respond” button 2413.

When the Internet user selects the respond button, she is presented with an Ad Response Form 2414. The Internet user creates a response by completing a response text field 2416. After completing the Ad Response Form, the Internet user submits the form by pressing the “Submit” button 2422. The advertiser is then presented with a Response Confirmation Form 2423. The Response Confirmation Form gives the advertiser information on enhancing her response with an audio message, photograph, or video clip.

The IWS then stores the response to a disk file and updates the database 2424. Specifically, the IWS creates a new record in the AD\_RESPONSE table Fig 4 and populates the fields RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 to indicate the mailbox number of the ad responded to, the date and time of the response, the format of the response, and the location of the response file on the IWS. The field RSP\_TYPE 504 is set to TEXT. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to TRUE to indicate that the text does not need to be converted to a different format.

#### ENHANCING A RESPONSE WITH AUDIO, PHOTOGRAPH AND VIDEO

As already indicated, after a text response has been submitted via the Internet, the Internet user is shown a Response Confirmation Form Fig 12 1501. The response confirmation form gives the Internet user instructions on how to enhance a response to an ad with audio, video, or a photograph.

A more detailed explanation of how a respondent submits an audio response, photograph, or

video clip via CTI will now be given. To submit an audio response, the Internet user first makes an audio recording using a WAV file editor and then saves the file using her five digit mailbox number as the file name *1503*, for example: 44567.wav. The Internet user then submits the audio file using e-mail to the recipient's electronic mailbox on the IWS *1504*, for example: 22345@personals.com

5 *1512*. The Internet user's audio response is stored to a disk file on the IWS and the AD database is updated *1505*.

Specifically, the IVR creates a new record in the AD\_RESPONSE table *Fig 4* and populates the fields RSP\_MAILBOX\_NUMBER *501*, RSP\_DATE\_TIME *503*, RSP\_TYPE *504*, and RSP\_FILENAME *506* to indicate the mailbox number of the ad responded to, the date of the

10 response, the format of the audio file, and the location of the audio file on the IVR. The field RSP\_TYPE *504* is set to WAV to indicate that the audio recording is in the Microsoft .WAV file format. Also, the field RSP\_CONVERSION\_FLAG *506* is set to FALSE to indicate that the audio file must be converted from the Microsoft .WAV format to create two new audio response files: one

15 for playback via the telephone.

The IWS determines if conversion of audio files are needed *1506*, and then creates a new RealAudio .RA file and Dialogic .VOX file from the Microsoft .WAV file *1507*. The RealAudio file is stored on the IWS and the Dialogic file is stored on the IVR. The IWS also updates the AD database *1508*. Specifically, for each new audio file, the IWS creates a new record in the

20 AD\_RESPONSE table *Fig 4* and populates the fields RSP\_MAILBOX\_NUMBER *501*, RSP\_DATE\_TIME *503*, RSP\_TYPE *504*, and RSP\_FILENAME *505* to indicate the mailbox number of the ad responded to, the date of the response, the format of the response, and the location

of the response file on the IWS. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to TRUE for both the source audio file (.WAV) and the target audio files (.VOX and .RA) to indicate that the audio files do not need to be converted 1509.

To send a photograph in response to an ad, the Internet users first digitizes a photograph  
5 using a scanner or takes a photograph with a digital camera and then saves the image to a .GIF file using her five digit mailbox number as the file name 1510, for example: 44567.gif. The respondent then submits the graphic file using e-mail to the recipient's electronic mailbox, for example: 22345@personals.com 1504. The respondent's photo is stored to a disk file on the IWS and the database is updated 1505.

10 Specifically, the IWS creates a new record in the AD\_RESPONSE table Fig 4 and populates the RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 to indicate the mailbox number of the ad responded to, the date of the response, the file format of the photograph, and the location of the file on the IWS. The field RSP\_TYPE 504 is set to GIF to indicate that the graphic file is in the .GIF file format. Finally, the  
15 field RSP\_CONVERSION\_FLAG 506 is set to TRUE to indicate that no file conversion is necessary as .GIF is the graphic file format used by the IWS 1506. It should be noted that file conversion may or may not be necessary depending on what file formats are supported by the IWS and IVR and what formats the system allows users to submit files in.

To send an advertiser a video clip, the Internet user first digitizes a video clip and then saves  
20 the image to a Microsoft .AVI file using her five digit mailbox number as the file name 1510, for example: 44567.avi. Other video formats such as Apple Quicktime, or MPEG video could also be used. The respondent then submits the graphic file using e-mail to the recipient's electronic mailbox,



for example: 22345@personals.com 1504. The respondent's video is stored to a disk file on the IWS and the AD database is updated 1505.

Specifically, the IVR creates a new record in the AD\_RESPONSE table Fig 4 and populates the fields RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and  
5 RSP\_FILENAME 505 to indicate the mailbox number of the ad responded to, the date of the response, the file format of the video clip, and the location of the video file on the IWS. Specifically, the field RSP\_TYPE 504 is set to AVI to indicate that the audio recording is in the Microsoft .AVI file format. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to FALSE to indicate that the VDOLive file must be converted to the VDOLive format for real time playback on the Internet.

10 The IWS determines that the video file must be converted to VDOLive format 1506. The IWS creates a new VDOLive file from the Microsoft .AVI file and stores the new file to a disk file 1507 on the IWS and updates the AD database 1508. A new record in the AD\_RESPONSE table Fig 4 is created and the IWS populates the RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 fields to indicate the mailbox number of the ad  
15 responded to, the date and time of the response, the format of the video file, and the location of the video file on the IWS. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to TRUE for both record formats (AVI and VDOLive) in the database to indicate that the video file(s) does not need to be converted 1509.

## 20 RETRIEVING RESPONSES THROUGH A TELEPHONE

An exemplary operation of the system, with regard to an advertiser retrieving responses to his personal ad will now be treated to accomplish the process as indicated in Fig 13. First, suppose

an advertiser at terminal T1 places a call to retrieve messages left in response to his ad. The assumed call involves the advertiser actuating the buttons to input the number 1-900-777-4444, for example. As a result, signals are provided to the public telephone network resulting in a connection from the remote terminal T1 to the IVR. Using standard DNIS techniques, the IVR associates the called number 1 900 777 4444 with a specific format, for example, a message retrieval format.

Referring to Fig 13, upon receiving a call, the IVR sets the “logon attempts” equal to zero 2501. The IVR then increments the “logon attempts” by one 2502 and cues the caller for a mailbox number and password 2503. The IVR then queries the AD database to determine if the mailbox number and password are valid. If the entries are not valid, the IVR determines if the caller has exceeded the maximum number of logons attempts allowed 2505. If the caller has exceeded the maximum number of logon attempts allowed, the call is terminated 2506. If the maximum number of logon attempts allowed has not been exceeded, the IVR increments the “logon attempts” by one 2502 and again cues the caller for a mailbox number and password 2503.

If the entries are valid, the IVR then queries the AD\_RESPONSE table to determine if the advertiser has any responses 2507. If the advertiser has no responses, the call is terminated 2506. If the IVR finds a response, the IVR plays the text 2513 and audio 2514 messages from the respondent. If a response is in text form, the IVR uses text to speech to play the message. If there are additional responses, the caller is returned to block 2513. Otherwise, the call is terminated 2506.

## RETRIEVING RESPONSES THROUGH THE INTERNET

An exemplary operation of the system, with regard to an advertiser retrieving her responses via the Internet will now be treated to accomplish the process as indicated in Fig 14. First, suppose

an advertiser at terminal CT1 connects to the Internet to retrieve messages. The assumed Internet user connects to the Internet and inputs a Uniform Reference Locator URL, for example: [http://www.personal\\_ads.com](http://www.personal_ads.com), resulting in a connection from the remote terminal CT1 to a Home Page 1701 on the Internet Web Server.

5 Referring to Fig 14, from the Home Page 1701 on the Internet Web Server, the advertiser selects a Message Retrieval Form 1702. The Message Retrieval Form 1702 instructs the advertiser to enter a mailbox number 1703 and password 1704. The IWS then queries the AD database to determine if the mailbox number and password are valid 1705. If the entries are not valid, the Internet user is presented with an Invalid Mailbox and Password Form 1706. If the entries are valid  
10 1705, the IWS queries the Ad Database 1707 to find responses to the advertiser's ad.

If there are no responses, the IWS presents the advertiser with a No Responses Form 1709. If the IWS finds one or more responses, the IWS presents the advertiser with a Personal Ad Messages Form 1710. The Personal AD Messages Form 1709 shows any messages for the advertiser. Each message shows the date 1712 and time 1713 the message was received and contains one or more  
15 icons that represent the contents of the message. A text icon 1714 denotes a text message; an audio icon 1715 denotes an audio message; a still camera icon 1716 denotes a photograph; a video camera icon 1717 denotes a video clip. By clicking on an icon, the advertiser can view or listen to the associated file.

## 20 SEARCHING FOR PERSONAL ADS THROUGH THE TELEPHONE

An exemplary operation of the system, with regard to a specific telephone caller searching for personal ads will now be treated to accomplish the process as indicated in Fig 15. First, suppose a

telephone caller at terminal T1 places a call to search personal advertisements in response to an advertisement in XYZ newspaper. The assumed call involves the telephone caller actuating the buttons to input the number 1 900 555 6666, for example. As a result, signals are provided to the public telephone network resulting in a connection from the remote terminal T1 to the IVR. Using standard DNIS techniques, the IVR associates the called number 1 800 555 6666 with a specific format, for example, a voice personals ad searching format.

The caller is first prompted to indicate his preferences regarding the type of person he wishes to meet. Referring to Fig 15, the IVR cues the caller to enter the gender of the person he wishes to meet 2101. Next, the IVR cues the caller to enter the lowest age of the person he wishes to meet 2102. Next, the IVR cues the caller to enter the highest age of the person he wishes to meet 2103. Finally, IVR cues the caller for the marital status of the person he wishes to meet 2104.

Next, the IVR queries the database to find ads that match the caller's preferences 2114. If the query does not find any ads, the call is terminated 2133. If the query returns one or more ads, the IVR queries the field AD\_ORIGIN 211 to determine if the ad originated on the Internet 2117. If the ad originated on the telephone, the IVR plays the ad's audio greeting 2119. If the ad originated on the Internet, the IVR uses text to speech to play the ad's text greeting as placed on the Internet 2118. The IVR then queries the AD\_GREETING\_TABLE to determine if the Internet advertiser also submitted an audio greeting 2120. If the query does not find an audio greeting 2120, the IVR prompts the caller to indicate if he wishes to respond to the ad 2122. If the query finds an audio greetings 2120, the IVR plays the audio greetings 2121. The IVR then prompts the caller to indicate if he wishes to respond to the ad 2122.

If the caller elects not to respond to the ad, the IVR determines if there are additional matches

2132. If there are no additional matches, the call is terminated 2133. If there are additional matches, the caller is returned to block 2116.

If the caller elects to respond to the ad, the IVR next cues him to record his response 2129. The IVR then stores the response to a disk file 2130 and updates the database 2131. Specifically, a new record in the AD\_RESPONSE table *Fig 4* is created and the IVR populates the RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 fields to indicate the mailbox number of the ad responded to, the date and time of the response, the format of the response, and the location of the response file on the IVR. The field RSP\_TYPE 504 is set to VOX to indicate that the audio recording is in the Dialogic .VOX file format. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to FALSE to indicate that the audio file must be converted from the Dialogic .VOX format to create a new audio file in the RealAudio .RA format for playback on the Internet.

The IVR creates a new RealAudio .RA file from Dialogic .VOX file and stores the RealAudio file to a disk file 2130 on the IWS and updates the database 2131. A new record in the AD\_RESPONSE table *Fig 4* is created and the IVR populates the RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 fields to indicate the mailbox number of the ad responded to, the date and time of the response, the format of the response, and the location of the response file on the IVR. The field RSP\_TYPE 504 is set to RA to indicate that the audio recording is in the RealAudio .RA file format. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to TRUE for both files (.VOX and .RA) to indicate that the audio file does not need to be converted.

Next, the IVR determines if there are additional matches 2132. If there are no additional

matches, the call is terminated 2133. If there are additional matches, the caller is returned to block 2116 to continue.

## SEARCHING FOR ADS THROUGH THE INTERNET

5           An exemplary operation of the system, with regard to a specific Internet user searching for personal ads via the Internet will now be treated to accomplish the process as indicated in Fig 16. First, suppose an advertiser at terminal CT1 connects to the Internet to search for ads that match her preferences. The assumed Internet user connects to the Internet and inputs a Uniform Reference Locator URL, for example: [http://www.personal\\_ads.com](http://www.personal_ads.com), resulting in a connection from the remote  
10       terminal CT1 to a Home Page on the Internet Web Server.

          Referring to Fig 16, from the Home Page 2201 on the IWS, the Internet user selects an Ad Searching Form 2202. The Ad Searching Form instructs the Internet user to indicate the gender 2203, low age 2204, high age 2205, and marital status 2206 of the person she wishes to meet. When the form is complete, the Internet users submits it by pressing the “Submit” button 2208. The IWS  
15       then checks the submitted form for completeness 2209. If the form is incomplete, the Internet user is returned to the Ad Searching Form 2202. If the form is complete, the IWS queries the database to find ads that match the Internet user’s preferences 2210. If the query returns no matches 2212, the Internet user is presented with a No Matches Page 2213. If the query returns matches for one or more ads 2212, the IWS presents the Internet user with a Results Form 2214.

20           The Results Form 2214 shows the ads that match the Internet user’s preferences. Specifically, the Results Form shows the twenty word text ad that appears in the newspaper 2215. In addition, each ad contains one or more icons that represent any additional text or multimedia files (audio,

video, photograph) for the ads that are available on the IWS. These icons include an audio icon 2216 to denote the ad's audio greeting, a still camera icon 2217 to denote a photograph of the advertiser, a video camera icon 2218 to denote a video clip of the advertiser, or a paper icon 2219 to denote the ad's full text greeting, if the ad was placed on the Internet. It is to be understood that these icons are merely representative and that many other possibilities exist to denote the existence of text and multimedia files. By clicking on an icon, the Internet user can view or listen to the associated file. In addition, by selecting a maximize bar 2220, the Internet user can expand the ad to a full page size

**Fig 11.**

The Internet user responds to an ad by selecting the "Respond" button 2221. When the Internet user selects the respond button, she is presented with an Ad Response Form 2222. The Internet user creates a response by typing in a response text field 2225. After completing the Ad Response Form, the Internet user submits the form by pressing the "Submit" button 2230. The advertiser is then presented with a Response Confirmation Form 2231. The Response Confirmation Form gives the advertiser information on enhancing her response with an audio message, photograph, or video clip.

The IWS then stores the response to a disk file and updates the database 2232. Specifically, the IWS creates a new record in the AD\_RESPONSE table *Fig 4* and then populates the fields RSP\_MAILBOX\_NUMBER 501, RSP\_DATE\_TIME 503, RSP\_TYPE 504, and RSP\_FILENAME 505 to indicate the mailbox number of the ad responded to, the date and time of the response, the format of the response, and the location of the response file on the IWS. The field RSP\_TYPE 504 is set to TEXT. Finally, the field RSP\_CONVERSION\_FLAG 506 is set to TRUE to indicate that the text does not need to be converted to a different format.

The Internet user can then return to the Results Form at any time by using the “Back” key on her browser.